23429

RESIN INFORMATION SHEET

Product Name		TOYOPEARL® AF-rProtein A HC-650F (Functionalised resin for affinity chromatography)	
Part Numbers	23425	TOYOPEARL AF-rProtein A HC-650F, 10 mL	
	23426	TOYOPEARL AF-rProtein A HC-650F, 25 mL	
	23427	TOYOPEARL AF-rProtein A HC-650F, 100 mL	
	23428	TOYOPEARL AF-rProtein A HC-650F, 1 L	

Product Description

TOYOPEARL chromatographic resins are based on a rigid methacrylic polymer, resulting in high mechanical and chemical stability. Resins are available as non-functionalized "HW" series resins for size exclusion separations, and derivatized with surface chemistries for alternative modes of chromatography such as ion exchange, hydrophobic interaction or affinity separations.

TOYOPEARL AF-rProtein A HC-650F, 5 L

TOYOPEARL AF-rProtein A HC-650F resin is a functionalized support resin for affinity chromatography. The resin is prepared by multipoint attachment of a recombinant Protein A variant onto TOYOPEARL HW-65F. TOYOPEARL AFrProtein A HC-650F resin is useful for the chromatographic purification of monoclonal antibodies at process scale. The rProtein A ligand is not animal derived.

Operating Conditions

Typically 0.3 MPa
20 % (v/v) ethanol
72 % (v/v) slurry in shipping solvent (*)
Depend on column hardware (typically 0.7 MPa)
Typically 10 - 600 cm/hour
20 % (v/v) ethanol at 2 - 8 °C
0.1 - 0.5 mol/L NaOH

Specifications

Particle size distribution (min. 80 % within range)	30 - 60 μm
Protein adsorption capacity (of human antibody)	Min. 68 g/L - gel
Bacterial count	Max. 100 CFU/mL
Endotoxin concentration	Max. 10.0 EU/mL
Eluable matter	Max. 0.2 % (for dry gel)
Foreign substance (colored particle)	Max. 6
Appearance	White resin slurry which settles upon standing

Additional Information

	Appearance	White resin slurry which settles upon standing
	Mean pore diameter (base resin)	100 nm (*)
-		(*) The value is for reference only not guaranteed

^(*) The value is for reference only, not guaranteed.

Lot-specific data are included in the Certificate of Analysis (COA) shipped with the product. For detailed test procedures please refer to the appropriate Regulatory Support File.